

### INNOVATION ACADEMY PRESENTATION

**Open Access** 

# Inactivation of Pseudomonas aeruginosa by zinc oxide nanoparticles in aqueous solution

A Maleki<sup>1\*</sup>, M Ahmadi Jebeli<sup>1</sup>, E Kalantar<sup>1,2</sup>, H Daraei<sup>1</sup>, B Davari<sup>1,3</sup>, M Safari<sup>1</sup>

From 3rd International Conference on Prevention and Infection Control (ICPIC 2015) Geneva, Switzerland. 16-19 June 2015

#### Introduction

Since ZnO nanoparticles (ZnO-NPs) exhibit strong antibacterial activities on a broad spectrum of bacteria the aim of this study was to evaluate the antimicrobial activity of Zno-NPs against *Pseudomonas aeruginosa* as a model for gram-negative bacteria.

#### **Methods**

The average size of Zno-NPs was 20 nm, as determined through scanning electron microscopy. Muller Hinton broth was used as a growing medium for *Pseudomonas aeruginosa*. Photocatalytic experiment was carried out in a laboratory-scale batch reactor with low pressure ultraviolet irradiation (380 nm). Different experimental parameters such as amount of Zno-NPs, contact time, inorganic and organic substances and pH on photocatalytic inactivation of *Pseudomonas aeruginosa cells* have been studied. An initial *Pseudomonas aeruginosa* concentration of 10<sup>8</sup> CFU/mL was used for all experiments.

#### **Results**

Result showed that, almost all the initial *Pseudomonas aeruginosa* cell (10<sup>8</sup> CFU/ml) was inactivated in 60 min in the presence of 2 g/l ZnO-NPs. Photocatalytic inactivation of bacteria was found to follow first order kinetics. The initial pH of the water did not play an important role on the inactivation rate within a range of 6–8 pH units. The amount of photocatalyst also plays an important role in photocatalytic inactivation rate. As the result showed increasing the photocatalyst amount provided more rapid inactivation.

#### Conclusion

Addition of some inorganic ions to the suspension affects the sensitivity of *Pseudomonas aeruginosa* and caused to retard the inactivation rates. Since the sensitivity of *Pseudomonas aeruginosa* to photocatalytic treatment was fairly good, it is therefore, recommended to use this nano-particle for water treatment.

#### **Disclosure of interest**

None declared.

#### Authors' details

<sup>1</sup>Kurdistan Environmental Health Research Center, Kurdistan University of Medical Sciences, Sanandaj, Iran, Islamic Republic Of. <sup>2</sup>Department of Microbiology and Immunology, School of Medicine, Alborz University of Medical Sciences, Karaj, Iran, Islamic Republic Of. <sup>3</sup>Department of Medical Entomology, School of Medicine, Hamadan University of Medical Sciences, Hamadan, Iran, Islamic Republic Of.

Published: 16 June 2015

doi:10.1186/2047-2994-4-S1-I6

Cite this article as: Maleki *et al.*: Inactivation of Pseudomonas aeruginosa by zinc oxide nanoparticles in aqueous solution.

Antimicrobial Resistance and Infection Control 2015 4(Suppl 1):16.

## Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at www.biomedcentral.com/submit



<sup>1</sup>Kurdistan Environmental Health Research Center, Kurdistan University of Medical Sciences, Sanandaj, Iran, Islamic Republic Of Full list of author information is available at the end of the article

