

LETTER TO THE EDITOR

Open Access



“Seconds save lives—clean your hands”: the 5 May 2021 World Health Organization *SAVE LIVES: Clean Your Hands* campaign

Benedetta Allegranzi¹, Ermira Tartari^{1,2,3} and Didier Pittet^{3*}

The year 2020 was unprecedented in many ways, one of which was the tremendous attention given to appropriate hand hygiene practices in the fight against SARS-CoV-2. Hand hygiene has finally gained global recognition from policy-makers, health managers, health care workers and the general public as a keystone in infection prevention. The World Health Organization (WHO) placed increased focus on hand hygiene in the context of the global COVID-19 pandemic, in addition to its longstanding efforts through both the global *SAVE LIVES: Clean Your Hands* campaign and the Water, Sanitation and Hygiene (WASH) Programme.

In the context of the pandemic WHO launched several initiatives, including the new WHO and UNICEF Hand Hygiene for All initiative (https://www.who.int/water_sanitation_health/sanitation-waste/sanitation/hand-hygiene-for-all/en/) to consistently improve hand hygiene practices as a whole-of-society approach to stop the spread of SARS-CoV-2 and sustain good practices beyond the pandemic. To achieve these goals, adequate infrastructures should be provided in health care and public settings, including for example schools and public transportations, and appropriate behaviour to clean hands when needed should be taken by all key players.

This year, WHO's *SAVE LIVES: Clean Your Hands* campaign focuses on achieving appropriate hand hygiene



Fig. 1 “Seconds save lives—clean your hands.” 5 May 2021 WHO *SAVE LIVES: Clean Your Hands* campaign slogan and main promotional image (2021 hashtags: #HandHygiene, #CleanYourHands, #InfectionPrevention)

*Correspondence: didier.pittet@hcuge.ch

³ Infection Control Programme, University of Geneva Hospitals and Faculty of Medicine, Gabrielle-Perret-Gentil 4, 1205 Geneva, Switzerland

Full list of author information is available at the end of the article



© The Author(s) 2021. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

action at the point of care. This has been at the core of WHO patient safety strategies during health care delivery

Table 1. 5 May 2021 WHO SAVE LIVES: Clean Your Hands campaign calls to action

Campaign participants	Call to action
Health care workers	Now more than ever, clean your hands at the point of care ^a
IPC ^b practitioners	Champion and mentor clean hands at the point of care
Facility managers	Ensure hand hygiene supplies are available at every point of care
Policy-makers	Invest now to ensure hand hygiene for all
Patients and families	Help us to help you: please clean your hands
Vaccinators	Clean your hands with every vaccine
General public	Make clean hands your habit—it protects us all

^a Point of care refers to the to the place where three elements come together: the patient, the health care worker, and care or treatment involving contact with the patient or their surroundings (as published in the WHO guidelines on hand hygiene in health care)

^b IPC infection prevention and control

for many years, but is now more critical than ever. Furthermore, 2021 has been designated the International Year of Health and Care Workers (<https://www.who.int/campaigns/annual-theme/year-of-health-and-care-workers-2021>): focusing on their protection is also paramount.

The first prerequisite for effective implementation of hand hygiene action at the point of care is “system change” meaning that the appropriate infrastructure and supplies should be available at the point of care so that health workers can clean their hands promptly when needed. This requires reliable and uninterrupted provision of good-quality alcohol-based handrub (ABHR), supplies of clean water, soap, single-use towels and an adequate number of functioning sinks. Although effective infection prevention and control (IPC) programmes in health care facilities should meet WHO minimum requirements [1], the 2020 global WASH report revealed that one in three facilities do not have adequate hand hygiene stations at the point of care [2]. A recent systematic review showed that hand hygiene compliance is only around 9% during care of critically ill patients in low-income countries [3]; such shocking data, in conjunction with the ongoing COVID-19 pandemic, highlight the urgent need for additional efforts to strengthen global compliance and champion best practices. Although vaccines are starting to be delivered, hand hygiene and appropriate use of personal protective equipment remain crucial for safe care of both COVID-19 and non-COVID-19 patients.

Effective hand hygiene not only reduces the burden of health care-associated infections and the spread of antimicrobial resistance but is also a key IPC measure for safe COVID-19 vaccination [4]. ABHR is the preferred method for hand hygiene in health care as it can be easily accessible at the point of care, kills microorganisms quickly (within 20–30 s) and is well tolerated by the skin. These advantages can help to overcome behavioural

barriers to compliance. In the light of current shortages, many countries have successfully established local ABHR production as a low-cost alternative within facilities, using WHO-recommended formulations [5].

To highlight the urgent need to save lives by implementing best practices in health care delivery, the slogan for 5 May 2021 is “Seconds save lives—clean your hands” (Fig. 1). The WHO campaign calls to action key stakeholders (Table 1) who can play critical roles in achieving optimal hand hygiene at the point of care, in both the current situation and a broader sense, helping to strengthen society involvement as promoted by the Hand Hygiene for All initiative.

Abbreviations

WHO: World Health Organization; WASH: Water, Sanitation and Hygiene; ABHR: Alcohol-based handrub; IPC: Infection prevention and control.

Acknowledgements

All the information is available on the WHO SAVE LIVES: Clean Your Hands campaign webpage (<https://www.who.int/campaigns/save-lives-clean-your-hands>), including an advocacy toolkit offering guidance on the campaign's objectives, key messages and how to get involved.

Authors' contributions

The authors alone are responsible for the views expressed in this article; it does not necessarily represent the views, decisions or policies of the institutions with which they are affiliated.

Funding

World Health Organization (WHO), Geneva, Switzerland and the Infection Control. Program, University of Geneva Hospitals and Faculty of Medicine, Geneva, Switzerland; hand. Hygiene research activities at the SPCI/WCC are also supported by the Swiss National Science. Foundation (Grant Number 32003B_163262).

Availability of data and materials

Not applicable.

Declarations

Ethics approval and consent to participate

Not applicable.

Consent for publication

Not applicable.

Competing interests

The authors declare that they have no competing interests.

Author details

¹Infection Prevention and Control Technical and Clinical Hub, Department of Integrated Health Services, World Health Organization (WHO), Geneva, Switzerland. ²Faculty of Health Sciences, University of Malta, Msida, Malta. ³Infection Control Programme, University of Geneva Hospitals and Faculty of Medicine, Gabrielle-Perret-Gentil 4, 1205 Geneva, Switzerland.

Received: 4 March 2021 Accepted: 8 March 2021

Published online: 17 March 2021

References

1. Minimum requirements for infection prevention and control programmes. Geneva: World Health Organization; 2019. <https://apps.who.int/iris/handle/10665/330080>.
2. Global progress report on WASH in health care facilities: fundamentals first. Geneva: World Health Organization; 2020. <https://www.who.int/publications/i/item/9789240017542>.
3. Lambe KA, Lydon S, Madden C, Vellinga A, Hehir A, Walsh M, et al. Hand hygiene compliance in the ICU: a systematic review. *Crit Care Med*. 2019;47:1251–7. <https://doi.org/10.1097/CCM.0000000000003868>.
4. Aide memoire: infection prevention and control (IPC) principles and procedures for COVID-19 vaccination activities. Geneva: World Health Organization; 2021. <https://www.who.int/publications/i/item/who-2019-ncov-vaccination-IPC-2021-1>.
5. Guide to local production: WHO-recommended handrub formulations. Geneva: World Health Organization; 2010. <https://www.who.int/publications/i/item/WHO-IER-PSP-2010.5>.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Ready to submit your research? Choose BMC and benefit from:

- fast, convenient online submission
- thorough peer review by experienced researchers in your field
- rapid publication on acceptance
- support for research data, including large and complex data types
- gold Open Access which fosters wider collaboration and increased citations
- maximum visibility for your research: over 100M website views per year

At BMC, research is always in progress.

Learn more biomedcentral.com/submissions

